

LUNO Pendant

Description

Downlight for indoor use.

For downlighting. Can be mounted directly on ceiling or using a ceiling rose. Fully uniform diffuser with no shadows or glare. Structure material: Aluminium. Structure finish: White. Diffuser material: Methacrylate. Diffuser finish: Matt. Warranty: 2 Years.11Product net weight (Kg): 20.6951Product width or diameter (mm): 12001Product height (mm): 12711Class I. IP: IP20. LED. No. of lampholders or LEDs: 576. LED brand: SAMSUNG. Driver brand: MEANWELL. Maximum power of light source: 146W. Colour temperature: Warm White - 3000K. Colour rendering index: 80. MacAdam Steps: 3 STEPS. Hours of life: 50.000h L80B10. UGR: 33.6. Photobiological risk: RG1. Real flux (lm): 15065. Nominal flux (lm): 16000. Lm/Real W: 93. Voltage and frequency range: 90-305 VAC. Voltage: 3.1 V. Intensity: 86 mA. Gear included: Yes, electronic. Multi-voltage gear included. Total power: 161,3. Power factor: 0.95. Dimmable gear included: 1..10V.

Finish  
White  
Matt

Material  
Aluminium  
Methacrylate



TECHNICAL CHARACTERISTICS

Light source

Light source: LED SAMSUNG  
Output (W): 146W  
Total power consumption (W): 161,3  
Color temperature: Warm White - 3000K  
CRI: 80  
Real Lumen: 15065  
Nominal Lumen: 16000  
Qty Leds: 576  
Lm/Real W: 93  
Life Time: 50.000h L80B10  
Bin / Grup: VA o VB  
MacAdam steps: 3 STEPS  
UGR: 33.6  
Photobiological risk: RG1

GEAR

Brand: MEANWELL  
Gear included: Yes, electronic  
Voltage / Frequency:  
100-240VAC/50-60Hz  
Power Factor: 0.95  
Dimming protocol: 1..10V

Luminaire


Warranty: 2 Years

Logistics



Energy Efficiency: LED A++  
EAN Code: 8435381464646  
Net Weight (Kg): 20.695  
Weight in Kg (packaged): 23.000  
Packing: 1245 x 155 x 1265  
Masterbox: 1

The photograph may not match the reference exactly. Please read the product description to identify the finish.






COMPATIBLE











eBLUE:  
71-5961-00-00



# SURFACE



# PENDANT



# RECESSED

