



Design by Nahtrang Design



The photograph may not match the reference exactly. Please read the product description to identify the finish.



Download photometric file .ldt / .ies



Click on image to download energy label

Description

Shade not included. To see available shades, please download file [Accessory](#).

TECHNICAL CHARACTERISTICS

Type:	Table lamp
IP Protection degrees:	IP20
Light source 1:	1 x E27 max.60W
Total power consumption (W):	60
Voltage / Frequency:	220-240V/50-60Hz
Warranty (Years):	2
Units per box:	8
Net Weight (Kg):	1.46
EAN:	8435111086544



MATERIALS / FINISHES


Structure material: Steel

Structure finish: Old brown

PAN-157-14


Shade, white, Ø200mm


Structure material: Steel
Diffuser material: Fabric shade
Diffuser finish: White



IP20 

PAN-157-BY


Structure material: Steel
Diffuser material: Fabric shade
Diffuser finish: Sandblasted




IP20 

PAN-169-14


Shade, white, pleated, Ø230mm


Structure material: Steel
Diffuser material: Ribboned shade
Diffuser finish: White



IP20 

PAN-161-14


Structure material: Steel
Diffuser material: Fabric shade
Diffuser finish: White




IP20 

PAN-161-BY



Structure material: Steel
Diffuser material: Fabric shade
Diffuser finish: Sandblasted




IP20 RF 850°C

PAN-179-14



Shade, white, 180x186x150mm

Structure material: Steel
Diffuser material: Fabric shade
Diffuser finish: White




IP20 RF 850°C

PAN-179-BY



Shade, beige fabric, 180x186x150mm

Structure material: Steel
Diffuser material: Fabric shade
Diffuser finish: Sandblasted




IP20 RF 850°C

PAN-187-20



Shade, beige, pleated, 180x186x150mm

Structure material: Steel
Diffuser material: Ribboned shade
Diffuser finish: Beige




IP20 RF 850°C

PAN-180-14




Shade, white, 210x215x180mm

- Structure material:
- Diffuser material:
- Diffuser finish:
- Steel
- Fabric shade
- White




IP20 RF 850°C

PAN-180-BY




Shade, beige fabric, 210x215x180mm

- Structure material:
- Diffuser material:
- Diffuser finish:
- Steel
- Fabric shade
- Sandblasted




IP20 RF 850°C

PAN-188-20




Shade, beige, pleated, 210x215x180mm

- Structure material:
- Diffuser material:
- Diffuser finish:
- Steel
- Ribboned shade
- Beige




IP20 RF 850°C

PAN-176-14



Shade, white, 182x170x150mm

- Structure material:
- Diffuser material:
- Diffuser finish:
- Steel
- Fabric shade
- White




RF 850°C

PAN-176-BY



Shade, beige fabric, 182x170x150mm

Structure material: Steel
Diffuser material: Fabric shade
Diffuser finish: Sandblasted




PAN-177-14



Shade, oval shape, white, 285x150x150mm

Structure material: Steel
Diffuser material: Fabric shade
Diffuser finish: White




PAN-177-BY



Shade, oval shape, beige fabric, 285x150x150mm

Structure material: Steel
Diffuser material: Fabric shade
Diffuser finish: Sandblasted




PAN-194-AJ



Shade, grey, Ø220mm

Diffuser material: Fabric shade
Diffuser finish: Opera grey




IP20

PAN-198-V7



Shade, old copper, Ø186mm

Structure material:	Steel
Diffuser material:	PVC
Diffuser finish:	Antique copper




IP20 RF
850°C

PAN-199-V7



Shade, old copper, Ø235mm

Structure material:	Steel
Diffuser material:	PVC
Diffuser finish:	Antique copper




IP20 RF
850°C

PAN-219-14



Shade, white, horizontal wrapping, Ø200mm

Structure material:	Steel
Structure finish:	White
Diffuser material:	Ribboned shade PVC
Diffuser finish:	White




IP20 RF
850°C

PAN-219-05



Shade, black horizontal wrapping, Ø200mm

Structure material:	Steel
Structure finish:	White
Diffuser material:	Ribboned shade PVC
Diffuser finish:	Black




IP20 RF
850°C

Luminaire		Measur.		Lamp	
Code	10-4695-81-82	Code	10-4695-81-82	Code	STANDARD GOC 60W
Name	Sobremesa 60W A55 + PAN-161	Name	Sobremesa 60W A55 + PAN-161	Number	1
Line	Eulumat	Date	18-11-2013	Position	
Efficiency	78.89%	Coordinate system	CG	Total Flux	710.00 lm
Maximum value	105.59 cd	Position	C=90.00 G=50.00	Double Symmetrical	
Round Luminaire	Diam.	260 mm	Height	200 mm	
Round Luminous Area	Diam.	260 mm	Height	200 mm	
Horizontal Luminous Area	0.053093 m2	Emitting area on Plane 180°	0.052000 m2		
Emitting area on Plane 0°	0.052000 m2	Emitting area on Plane 270°	0.052000 m2		
Emitting area on Plane 90°	0.052000 m2	Glare area at 76°	0.063300 m2		
Symmetry Type	Double Symmetrical	Maximum Gamma Angle	180		
Measurement Distance	0.00	Measurement Flux	710.00 lm		
Operator	Asselum T2	Source voltage			
Temperature	25.00 °C	Source current			
Humidity	60.00 %	Photocell			
Notes					

Luminaire Lamps					
Line	Code	Name	Flux [lm]	Pow. [W]	Q.ty
Eulumat	STANDARD GOC 60W	STANDARD GOC 60W - 60.00 W	710.00	60.00	1
C.I.E.	32 77 91 54 79	D DIN 5040			
F UTE	0.43 I + 0.36 T	B NBN			
		C21			
		BZ 6 / 2.5 / BZ 5			

Diam=260mm



C Halfplanes

180.0 — 0.0
270.0 — 90.0

ULOR 35.95 %
DLOR 42.94 %
RN 45.57 %

