



35-7287-14-ES

V0

ATOM TRACK Spotlight

Description
Spotlight

With adjustable lighting positioning. High performance effective lm/W. Lenses allow optimum control of illumination with minimal residual halo. Compact, high performance product. Adjustable light source. Structure material: Aluminium, Polycarbonate. Structure finish: White. Diffuser material: Polycarbonate. Warranty: 5 Years.

Finish	Material
White	Aluminium Polycarbonate Polycarbonate

 IP20

 24°

 90°

 320°

TECHNICAL CHARACTERISTICS

Light source Light source: LED CREE Output (W): 12.1W Total power consumption (W): 14.8 W Color temperature: Warm White - 2700K CRI: 90 Photobiological risk: RG1 Real Lumen: 853 Qty Leds: 1 Lm/Real W: 58 Life Time: 60.000h L90B10 Bin / Grup: 27H MacAdam steps: 2 UGR: 15.0	GEAR Brand: TCI Gear included: Yes, electronic Voltage / Frequency: 220-240 VAC Power Factor: 0.97 Dimming protocol: Dali Flickering: 1.5%	Luminaire Warranty: 5 Years
		Logistics Energy Efficiency: LED A++ EAN Code: 8435526868131 Net Weight (Kg): 0.000

The photograph may not match the reference exactly. Please read the product description to identify the finish.

OPTIONAL ACCESSORIES



71-6276-60-00

Structure material: Aluminium
Dimensions: 52 x - x 52
Net Weight (Kg): 0.060



71-6277-60-00

Structure material: Aluminium
Dimensions: 52 x - x 73
Net Weight (Kg): 0.055



71-6436-23-00

Structure material: Aluminium
Dimensions: 49.7 x - x 20.3
Net Weight (Kg): 0.020




71-6436-14-00

Structure material: Aluminium
Dimensions: 49.7 x - x 20.3
Net Weight (Kg): 0.020



71-6274-00-00

Structure material: Methacrylate
Dimensions: 40.5 x - x 2
Net Weight (Kg): 0.020




71-6273-60-00

Structure material: Aluminium
Dimensions: 40.5 x - x 2
Net Weight (Kg): 0.010




71-6275-00-00


Structure material: Methacrylate
Dimensions: 40.5 x - x 2
Net Weight (Kg): 0.020




GLOBAL TRAC PULSE DALI




1



2



3



4

