


35-7289-14-ES

V0

ATOM TRACK Spotlight

Description
Spotlight

With adjustable lighting positioning. High performance effective lm/W. Lenses allow optimum control of illumination with minimal residual halo. Compact, high performance product. Adjustable light source. Structure material: Aluminium, Polycarbonate. Structure finish: White. Diffuser material: Polycarbonate. Warranty: 5 Years.

Finish
White

Material
Aluminium
Polycarbonate
Polycarbonate

IP20 43° 90° 320°

TECHNICAL CHARACTERISTICS

Light source

Light source: LED CREE
Output (W): 12.1W
Total power consumption (W): 14.8 W
Color temperature: Warm White - 2700K
CRI: 90
Photobiological risk: RG1
Real Lumen: 778
Qty Leds: 1
Lm/Real W: 53
Life Time: 60.000h L90B10
Bin / Grup: 27H
MacAdam steps: 2
UGR: 16.0

GEAR

Brand: TCI
Gear included: Yes, electronic
Voltage / Frequency: 220-240 VAC
Power Factor: 0.97
Dimming protocol: Dali
Flickering: 1.5%

Luminaire

Warranty: 5 Years

Logistics

Energy Efficiency: LED A++
EAN Code: 8435526868216
Net Weight (Kg): 0.000

The photograph may not match the reference exactly. Please read the product description to identify the finish.

OPTIONAL ACCESSORIES



71-6276-60-00

Structure material: Aluminium
Dimensions: 52 x - x 52
Net Weight (Kg): 0.060



71-6277-60-00

Structure material: Aluminium
Dimensions: 52 x - x 73
Net Weight (Kg): 0.055



71-6436-23-00

Structure material: Aluminium
Dimensions: 49.7 x - x 20.3
Net Weight (Kg): 0.020




71-6436-14-00

Structure material: Aluminium
Dimensions: 49.7 x - x 20.3
Net Weight (Kg): 0.020



71-6274-00-00

Structure material: Methacrylate
Dimensions: 40.5 x - x 2
Net Weight (Kg): 0.020




71-6273-60-00

Structure material: Aluminium
Dimensions: 40.5 x - x 2
Net Weight (Kg): 0.010




71-6275-00-00


Structure material: Methacrylate
Dimensions: 40.5 x - x 2
Net Weight (Kg): 0.020




GLOBAL TRAC PULSE DALI




1



2



3



4

