

35-7306-60-ES

V0

ATOM TRACK Spotlight

Description
Spotlight

With adjustable lighting positioning. High performance effective lm/W. Lenses allow optimum control of illumination with minimal residual halo. Compact, high performance product. Adjustable light source. Structure material: Aluminium, Polycarbonate. Structure finish: Black. Diffuser material: Polycarbonate. Warranty: 5 Years.

Finish
Black

Material
Aluminium
Polycarbonate
Polycarbonate

IP20 31° 90° 320°

TECHNICAL CHARACTERISTICS

Light source

Light source: LED CREE
Output (W): 24W
Total power consumption (W): 28.2 W
Color temperature: Warm White - 2700K
CRI: 90
Photobiological risk: RG1
Real Lumen: 1991
Qty Leds: 1
Lm/Real W: 71
Life Time: 60.000h L90B10
Bin / Grup: 27H
MacAdam steps: 2
UGR: 11.1

GEAR

Brand: TCI
Gear included: Yes, electronic
Voltage / Frequency: 220-240 VAC
Power Factor: 0.99
Dimming protocol: Dali
Flickering: 2.9%

Luminaire

Warranty: 5 Years

Logistics

Energy Efficiency: LED A++
EAN Code: 8435526868438
Net Weight (Kg): 0.000

The photograph may not match the reference exactly. Please read the product description to identify the finish.

OPTIONAL ACCESSORIES



71-6282-60-00

Structure material: Aluminium
Dimensions: 75 x - x 74.5
Net Weight (Kg): 0.110



71-6283-60-00

Structure material: Aluminium
Dimensions: 75 x - x 104.5
Net Weight (Kg): 0.110



71-6280-00-00

Structure material: Methacrylate
Dimensions: 62 x - x 2
Net Weight (Kg): 0.045



71-6279-60-00

Structure material: Aluminium
Dimensions: 62 x - x 2
Net Weight (Kg): 0.023



71-6281-00-00

Structure material: Methacrylate
Dimensions: 62 x - x 2
Net Weight (Kg): 0.045




71-6437-23-00

Structure material: Aluminium
Dimensions: 72.4 x - x 28.8
Net Weight (Kg): 0.038




71-6437-14-00


Structure material: Aluminium
Dimensions: 72.4 x - x 28.8
Net Weight (Kg): 0.038




GLOBAL TRAC PULSE DALI




1



2



3



4

