

90-1720-14-00

V0

GES Downlight recessed





Description

Recessed for indoor use.

For downlighting. Compatible with professional module "IN". Flush fitting in plaster surfaces and false ceilings. Structure material: Plaster. Structure finish: White. Warranty: 5 Years.

Finish
White

Material
Plaster



TECHNICAL CHARACTERISTICS

Light source

Lampholder: 1 x GU5.3
Output (W): MAX 35W
Total power consumption (W): 35 W
Quantity: 1

GEAR

This item requires gear. It is not included.
Power Factor: 1.00

Luminaire

Warranty: 5 Years

Logistics

Energy Efficiency: NO BULB
EAN Code: 8435381400774
Net Weight (Kg): 0.360
Weight in Kg (packaged): 0.539
Packing: 170 x 170 x 110
Masterbox: 24



The photograph may not match the reference exactly. Please read the product description to identify the finish.

OPTIONAL ACCESSORIES



71-1881-00-00

Kit for GU10 lamps, Max. 50W

Structure material:
Net Weight (Kg): 0.000



71-4032-N3-M2

LED module. For installation, the light must be completed with one of the different surrounds available.

Structure material: Aluminium
Dimensions: 50 x 56 x NA
Net Weight (Kg): 0.000



71-4033-N3-M2

LED module. For installation, the light must be completed with one of the different surrounds available.

Structure material: Aluminium
Dimensions: 50 x 56 x NA
Net Weight (Kg): 0.000



71-3885-N3-M2

LED module. For installation, the light must be completed with one of the different surrounds available.

Structure material: Aluminium
Dimensions: 50 x 56 x NA
Net Weight (Kg): 0.000



71-3886-N3-M2

LED module. For installation, the light must be completed with one of the different surrounds available.

Structure material: Aluminium
Dimensions: 50 x 56 x NA
Net Weight (Kg): 0.000



71-4032-14-M2

LED module. For installation, the light must be completed with one of the different surrounds available.

Structure material: Aluminium
Dimensions: 50 x 56 x NA
Net Weight (Kg): 0.120



71-4033-14-M2

LED module. For installation, the light must be completed with one of the different surrounds available.

Structure material: Aluminium
Dimensions: 50 x 56 x NA
Net Weight (Kg): 0.120



71-3885-14-M2

LED module. For installation, the light must be completed with one of the different surrounds available.

Structure material: Aluminium
Dimensions: 50 x 56 x NA
Net Weight (Kg): 0.065



71-3886-14-M2

LED module. For installation, the light must be completed with one of the different surrounds available.

Structure material: Aluminium
Dimensions: 50 x 56 x NA
Net Weight (Kg): 0.065



71-5156-14-M2V1

LED module. For installation, the light must be completed with one of the different surrounds available.

Structure material: Aluminium
Dimensions: 50 x 80 x NA
Net Weight (Kg): 0.190



71-5157-14-M2V1

LED module. For installation, the light must be completed with one of the different surrounds available.

Structure material: Aluminium
Dimensions: 50 x 80 x NA
Net Weight (Kg): 0.190



71-5086-14-M2V1

LED module. For installation, the light must be completed with one of the different surrounds available.




Structure material: Aluminium
Dimensions: 50 x 80 x NA
Net Weight (Kg): 0.095



71-5087-14-M2V1

LED module. For installation, the light must be completed with one of the different surrounds available.

Structure material: Aluminium
Dimensions: 50 x 80 x NA
Net Weight (Kg): 0.095



ø135 mm

Scale 1:2

10-11-14

REF.	LAMP	SOCKET	
90-1720	QR-CBC51 MAX 35W	GX5.3	Ø135mm
90-1722	QR-CBC51 MAX 35W	GX5.3	125x125mm

