

90-5926-14-RU

V0

LUNO Downlight recessed

Description

Downlight for indoor use.

For downlighting. Fully uniform diffuser with no shadows or glare. Structure material: Aluminium. Structure finish: White. Diffuser material: Methacrylate. Diffuser finish: Matt. Warranty: 2 Years.11Product net weight (Kg): 10.1001Product width or diameter (mm): 9001Product height (mm): 1271Ø of the hole for recessing (mm): 90011Class I. Luminaire not suitable for coating with insulation materials. IP: IP20. LED. No. of lampholders or LEDs: 324. LED brand: SAMSUNG. Driver brand: MEANWELL. Maximum power of light source: 85W. Colour temperature: Warm White - 3000K. Colour rendering index: 80. MacAdam Steps: 3 STEPS. Hours of life: 50.000h L80B10. Photobiological risk: RG1. Real flux (lm): 9687. Nominal flux (lm): 10800. Lm/Real W: 106. Voltage and frequency range: 90-305 VAC. Gear included: Yes, electronic. Multi-voltage gear included. Total power: 91 W. Power factor: 0.97. Dimmable gear included: 1..10V.

Finish
White
Matt

Material
Aluminium
Methacrylate



TECHNICAL CHARACTERISTICS

Light source

Light source: LED SAMSUNG
Output (W): 85W
Total power consumption (W): 91 W
Color temperature: Warm White - 3000K
CRI: 80
Real Lumen: 9687
Nominal Lumen: 10800
Qty Leds: 324
Lm/Real W: 106
Life Time: 50.000h L80B10
Bin / Grup: VA o VB
MacAdam steps: 3 STEPS
Photobiological risk: RG1

GEAR

Brand: MEANWELL
Gear included: Yes, electronic
Voltage / Frequency: 100-240VAC/50-60Hz
Power Factor: 0.97
Dimming protocol: 1..10V

Luminaire


Warranty: 2 Years

Logistics



Energy Efficiency: LED A++
EAN Code: 8435381470685
Net Weight (Kg): 10.100
Weight in Kg (packaged): 13.000
Packing: 930 x 155 x 940
Masterbox: 1

The photograph may not match the reference exactly. Please read the product description to identify the finish.






COMPATIBLE











eBLUE:
71-5961-00-00



SURFACE



PENDANT



RECESSED

